

Masterclass | The State of the Art in Electronics

COMPANY OVERVIEW AND T&M, KEY AREAS OF INNOVATION

Prof. Dr. Ulrich L. Rohde

ROHDE & SCHWARZ

Make ideas real



MASTERCLASS
NOVEMBER CHAPTER

THE STATE OF ART IN ELECTRONICS
BY Dr. ULRICH L. ROHDE
PROFESSOR | AUTHOR | ENTREPRENEUR | ENGINEER

Join us for an insightful session on the State of Art in Electronics where innovation meets precision in the world of electronic design.

DETAILS OF THE SESSION

- State of art in Electronics – higher density, lower power, SoCs
- State of art in Communications – 5/6 G and LEO satellite communication
- State of art in Testing & Measurement – R&S story
- Systems engineering is critical for complex systems and role of software defined systems
- Why and how you can be innovative?
- The need and the process to be current in Technology – active participation in professional societies




Date : 18th November 2024
Time : 4 to 5:15PM

Teams invite will be shared separately



Ulrich L. Rohde
Prof. Dr.-Ing. habil.


- Chair Professor for Microwave Technology at IIT-Jammu
- Professor of Microwave Technology at IIT-Delhi
- Professor of Microwave and RF at the BTU Cottbus-Senftenberg University of Technology, Germany
- Full professor of Radio & Microwave Theory & Techniques at the University of Oradea, Romania
- Professor at the German Armed Forces University Munich, Germany (Microwave Systems, Technical computer science)
- Honorary professor at several other universities worldwide
- Partner of Rohde & Schwarz, Germany
- Chairman of Synergy Microwave Corp., Paterson, NJ
- IEEE Life Fellow, <https://orcid.org/0009-0009-2271-4438>



ROHDE & SCHWARZ

Make ideas real



An abstract graphic featuring a complex network of glowing blue lines and dots, resembling a molecular structure or a data network, set against a dark background. The lines and dots are concentrated in the center and right side of the image, creating a sense of depth and connectivity.

Masterclass | The State of the Art in Electronics

STATE OF THE ART IN ELECTRONICS

HIGHER DENSITY, LOWER POWER, AND SOCS

KEY POINTS TO PONDER

Where do we come from?

Where are we today?

Where do we want to go?

An important principle: There are no free lunches!

Historical background:

- 1906: Lee de Forest invented the 'Audion' triode vacuum tube
- Enabled development of electronic oscillators and amplifiers
- Advantages of tubes: Thermal radiation, lax current limits, and robust power handling
- 1958: Jack Kilby (Texas Instruments) invented the Integrated Circuit (IC)

Evolution:

- Early systems used discrete components allowing circuit design flexibility
- 1958: Integrated Circuits (ICs) revolutionized electronics
- Modern ICs use nanometer-scale components with low voltages and ultra-low currents
- Today: Focus on System-on-Chip (SoC) for integrated digital and analog functions



State of the art technologies

- ▶ Gallium Nitride (GaN): High power density, overcoming frequency limitations
- ▶ Indium Phosphide (InP): Exceptional performance, sub-THz frequencies (>1 THz)
- ▶ Silicon Germanium (SiGe): High f_T (up to 700 GHz), ideal for optical and RF modules

Key metrics and performance

- ▶ GaN HEMT: Low noise figure (1 dB at 1 GHz), increasing to ~5 dB at 150 GHz
- ▶ ScALN/GaN HFETs: Up to 24% Power-Added Efficiency (PAE)
- ▶ InP HBTs: Operating at frequencies up to 340 GHz, $f_{max} > 1$ THz
- ▶ SiGe BiCMOS: f_T up to 700 GHz, essential for high-speed communications

Future directions & challenges

- ▶ Higher integration limits flexibility; relying on building blocks
- ▶ Foundry limitations and export controls impact new designs
- ▶ Cost-performance balance remains critical in advanced electronics
- ▶ Focus on scalable, energy-efficient designs for 5G/6G applications



A photograph of a modern office building complex with multiple stories, large glass windows, and balconies. The building is surrounded by greenery and other urban structures under a blue sky with light clouds.

Masterclass | The State of the Art in Electronics

COMPANY OVERVIEW AND T&M

ROHDE & SCHWARZ WHO WE ARE...

90 YEARS
OF ENSURING A SAFER AND
CONNECTED WORLD



We are
technology.



We innovate
and connect.



We thrive
independently.



Rohde & Schwarz

FROM A TWO-MAN LAB TO A PRIVATELY OWNED GLOBAL COMPANY

90+ years
of success

EUR 2.93 billion
revenue in FY 23/24

> 14,400
employees

15% to 20%
of revenue
invested in R&D



Rohde & Schwarz




WE LIVE INNOVATION AND MASTER OUR WHOLE VALUE CHAIN



One out of four
employees in R&D



~20% of turnover
is invested in R&D



Investments in **leading-edge**
technologies from development to
production



Collaboration
w/ academic & industry



High-Degree
of vertical integration

New center for cutting-edge
technology



Rohde & Schwarz

ONE COMPANY – THREE DIVISIONS

TEST & MEASUREMENT



Wireless | Industry, Components & Research | Aerospace & Defense Testing | Automotive

TECHNOLOGY SYSTEMS



Secure Communications | SIGINT/Electronic Warfare | Monitoring & Analytics | Infrastructure & Networks | IP Network Analytics

NETWORKS & CYBERSECURITY



Endpoint & Mobile Security | Secure Networks | Certified & High Grade Crypto Solutions






RELIABILITY FOR OUR CUSTOMERS, INDEPENDENCE THROUGH VERTICAL INTEGRATION AND RELEVANCE FOR SUPPLIERS

- ▶ Strong **flexibility** to handle a wide **variety of products** and **changing batch sizes**
- ▶ **Flexible** and **fast deliveries** to customers all over the world
- ▶ **Complexity management** through investments in **digitalization**, **automatization** and **innovative technologies** (e.g. AI and robotics)
- ▶ **Relevant** for our **suppliers** through **close corporations** in diverse market segments



Rohde & Schwarz



SUSTAINABILITY AT ROHDE & SCHWARZ

The pursuit of sustainability has always been part of our identity. We have a responsible and value based corporate culture that is committed to acting sustainably – toward our employees, customers and partners as well as society and the environment.



Rohde & Schwarz

R&S APPROACHES SUSTAINABILITY FROM VARIOUS ANGLES



At our facilities



Analyse and improve, replace and optimize, avoid and reduce



Part of our solutions



Test equipment to measure energy efficiency



Within our products



Life Cycle Assessment

Approach over entire product lifecycle to improve environmental impact



Rohde & Schwarz

OUR FACILITIES CONTRIBUTE TO OUR SUSTAINABILITY TARGETS

Usage of waste heat - Heat pumps for R&S data center (4 x 300 kW) in R&S Headquarters




Energy efficient combined heat and power plants (CHP) in our plant in Teisnach, GER



Solar panels in our plant in Memmingen, GER



Energy Software to monitor energy use in our plants



Rohde & Schwarz

CLOSE TO THE MARKET. CLOSE TO CUSTOMERS.

- ▶ Locations in around 70 countries
- ▶ More than 60 subsidiaries
- ▶ Worldwide development centers, sales and service offices
- ▶ Rohde & Schwarz develops solutions for a wide range of customers in a variety of markets



Rohde & Schwarz



TEST & MEASUREMENT



Wireless | Industry, Components &
Research | Aerospace & Defense Testing |
Automotive

Focus on
customer needs
along the
value chain.




Wireless
Communication (WIC)



Aerospace & Defense
(ADT)



Automotive
(AUT)



Industrial Electronics,
Components,
Research &
Universities
(ICR)



Rohde & Schwarz

TEST & MEASUREMENT



Wireless | Industry, Components &
Research | Aerospace & Defense Testing |
Automotive



Mobile Radio
Testers



Spectrum &
Network
Analyzers,
EMC & Antenna
Test



Signal
Generators,
Power Supplies
& Meters



Microwave
Imaging



Oscilloscopes



Zurich
Instruments



Service



Rohde & Schwarz



Masterclass | The State of the Art in Electronics

KEY AREAS OF INNOVATION


Staying **RELEVANT** through Innovation

Strong in-house expertise, partnerships and bolt-on technology acquisitions

Focus on today's and tomorrow's cutting-edge technologies



Rohde & Schwarz



 **research** is emerging

 Demand for **faster Wi-Fi** with low latency

 High speed **Digital Design**

Higher **defense budgets** worldwide

 Strong **new space** and **NTN** business

 **For autonomous driving** more
and more (radar) sensors

 **Electrification** and **high-voltage** solutions
getting more important



WE CONNECT THE WIRELESS ECOSYSTEM! WITH OUR PEOPLE, EXPERTISE AND INNOVATIVE SOLUTIONS



Translate



Consolidate




Standardize




Independent Reference



Rohde & Schwarz



5G
ADVANCED



MOBILE
EXPERIENCE

ENABLING
CONNECTIONS,
EMPOWERING
INNOVATION.



CONNECTING
EVERYTHING



TOWARDS 6G

Test & measurement solutions
from the everyday
to the extraordinary



QualiPoc/Freerider

Benchmark

PR200

FPH44

TSME6/TSMA6



SMW

FSW

PVT360

CMW500

CMX500

CMP200

CMP180 Flexx

RTP

Test System

OTA Chamber



Rohde & Schwarz

5G FROM TERRESTRIAL TO SPACE

3GPP CALL IT NON TERRESTRIAL NETWORKS (NTN)




Rohde & Schwarz

DIFFERENT IMPLEMENTATIONS OF NTN – DEVICE ASPECTS

3GPP VS. PROPRIETARY

PROPRIETARY NTN



3GPP >Rel.17 NB-NTN/NR-NTN




3GPP unmodified Direct to Device/Cell/Handset




NTN USER EQUIPMENT ESSENTIAL REQUIREMENTS AND CHALLENGES

Time Synchronization




Long delay and time variant delay: Distance, UE to satellite causes long absolute delay (~40 ms for LEO and 544 ms for GEO). Orbital movement of satellite will cause a time variant delay during the connection time. Variable RTT due to Elevation angle and LEO, SIB31 K_{mac} (RTT calc), K_{offset}, SIB32, SIB19.

Frequency Synchronization




Doppler shift: Movements of LEO satellites causes a time and elevation angle variant Doppler shift.

Signal Fading



Fading profiles: Beside the legacy terrestrial fading profiles, satellite connectivity requires new fading profiles such as the combination of atmospheric and terrestrial fading as well as the emulation of weather specific effects (rain, cloud, sun storms causing electron flow).

Minimum SINR



High attenuation and low SNR: The large distance causes a high free space path loss ending in a low SNR at the UE side. Minimum SINR ≥ -10 dB, minimum RSRP ≥ -137 dBm.

GNSS Measurements and Satellite Ephemerals



GNSS emulation and provisioning of ephemeris information in the first approach, NTN targets at outdoor connections, UE is capable of GNSS and determines its terrestrial position. The UE is pre-provisioned with the orbit information (ephemeris) via SIB broadcast.

Power Saving Optimizations




Cell Acquisition, mandatory GNSS, cell search, eDRX/PSM (start time of upcoming coverage info, repetitions in low CQI, UE to predict discontinuous coverage based on the satellite assistance information, SIB32).



Rohde & Schwarz

NTN BANDS AND FREQUENC



2023

R17

2026/2027

R18

2029/2030

R19 prospect

NTN-IoT@2GHz (S/L)

NTN-NR@2GHz (S/L)

NTN-NR@17-30GHz (K-Ka)

NTN-NR@12-16GHz (Ku)

narrowband


wideband

broadband

Antenna profiles

- 23dBm
- Linear polarization
- Patch, FDD

- 33dBm
- 60cm circular polarization
- Active Phased Array FDD/TDD



Device Types

Handheld, IoT, Wearable, AUT/TCU

CPE, TCU, VSAT

Speed

~200kbps (200KHz BW)

~1-2mbps (5MHz-30MHz BW)

~200mbps (~400MHz BW)

Service

Small data/one way voice?

Data/voice

Data broadband/voice

Usecases



Rohde & Schwarz

NTN

SATELLITE ORBIT: LEO

Altitude: 160-2000 km
Orbital time: 1.5 – 2 h
Total Latency: 2-27 ms
Sat. Velocity: 7.8 - 8.2 km/s

LEO

GEO

GSO





Rohde & Schwarz

NTN

ROUND TRIP TIME



GNSS optionally used by
LEO for orbit control



Rohde & Schwarz

NTN

DOPPLER

GNSS



GNSS optionally used by
LEO for orbit control

$\vec{v}_{\max_leaving}$

Elevation_{exit}

Elevation_{nadir}

Elevation_{init}

+Doppler_{max}

Doppler_{min}

-Doppler_{max}

Doppler_{min} = radial velocity with
respect to DUT is 0

-Doppler_{max} = max doppler shift
at connection termination

GNSS



+Doppler_{max} = max doppler shift at connection setup


α Elevation

Horizon




Rohde & Schwarz

MOBILITY SCENARIOS



From 5G to 6G

Evolution of the mobile wireless standards and frequencies



WHAT IS THE METAVERSE? AND WHAT IS IT FOR?

An **immersive, pervasive, interconnected virtual 3D world** shaped by **extended reality** applications where many people can gather to work, shop, play, and socialize, facilitated by virtual reality (VR) and augmented reality (AR) headsets via cloud computing.



The origin of the term Metaverse is in Neal Stephenson's novel "Snow Crash"

Collaboration



Digital
Twins



Training
Education
Healthcare



Gaming
Social





Rohde & Schwarz

A selection, there are many others...

METaverse IS ON THE AGENDA OF ALL INDUSTRY PLAYERS

INDUSTRIAL METAVERSE NOW, ENTERPRISE & CONSUMER FOLLOW



6G - Connecting a cyber-physical world

ERICSSON

EuCNC & 6G Summit
Wednesday June 7
9:45-10:30
Kongresshallen




Rohde & Schwarz



Research areas from an T&M perspective

6G introduces many new technology components

Spectrum for 6G:
"FR3" and THz



Integrated sensing &
communication



Artificial Intelligence
and Machine
Learning



Reconfigurable
Intelligent Surfaces



Photonics, Visible
Light
Communication



New network
topologies,
distributed
computing



Multiple access,
new waveforms,
channel coding



Ultra-massive
MIMO



The Metaverse and
eXtended Reality
(XR)



Full-duplex
communication



Security &
Trustworthiness





Rohde & Schwarz

A high-level overview of all these research areas is provided in one of our [#THINKSIX](#) videos

6G Phases and Timeline

Research, ITU and 3GPP



Assumptions
= not confirmed
timelines

1st 6G network launch?
1st 6G devices?



You are here!



Fundamental research

Applied research

Study Phase

Standardization Phase 1

Standardization Phase 2

WRC-23



WRC-23 results:
5G Study items for WRC-27:
7.125 – 8.4 GHz, 14.8 – 15.35 GHz
FCC: 12.7-13.25 GHz

WRC-27




¹⁾ IMT-2020 systems are called 5G, The ITU has already started a new technology trend report to prepare the work on "IMT-2020 and beyond" that is likely to become 6G




Rohde & Schwarz

TOWARDS AN AI-NATIVE AIR INTERFACE FOR 6G

ENHANCING THE NEURAL RECEIVER WITH CUSTOM CONSTELLATION




INTEGRATED SENSING AND COMMUNICATION USE CASES





RESEARCH AREAS FROM A T&M PERSPECTIVE

THz communication,
and “FR3”



Integrated sensing
& communication



Artificial Intelligence
and Machine Learning



Reconfigurable
Intelligent Surfaces



Photonics, Visible
Light Communication



The Metaverse and
eXtended Reality (XR)



Multiple access,
new waveforms,
channel coding



Ultra-massive
MIMO



New network topologies,
distributed computing



Full-duplex
communication



Security &
Trustworthiness



Rohde & Schwarz

Spectrum for 6G – What frequencies are we talking about?

SPECTRUM CONSIDERATIONS FOR 6G

IS FR3 SPECTRUM FOR 5G-ADVANCED OR 6G OR BOTH?



- 6.1.6 Potential Spectrum bands for study
 - 6.1.6.1 UHF Band
 - 6.1.6.1.1 1300-1350 MHz
 - 6.1.6.1.2 1780-1850 MHz
 - 6.1.6.2 Lower-cmW spectrum
 - 6.1.6.2.1 3100-3450 MHz
 - 6.1.6.2.2 3980-4180 MHz (TBD)
 - 6.1.6.2.3 4400-4940 MHz
 - 6.1.6.2.4 7125-8500 MHz
 - 6.1.6.3 Upper-cmW spectrum
 - 6.1.6.3.1 10-10.5 GHz
 - 6.1.6.3.2 10.7-12.2
 - 6.1.6.3.3 12.2 – 12.7 GHz
 - 6.1.6.3.4 12.7-13.75 GHz
 - 6.1.6.3.5 13.75-15 GHz
 - 6.1.6.3.6 23.25-27.5 (TBD)
 - 6.1.6.4 EHF Band
 - 6.1.6.4.1 37.0-37.6 GHz
 - 6.1.6.4.2 42-43.5 (TBD)
 - 6.1.6.4.3 92-114.25 GHz (W-band) and 122.25-174.8 GHz (D-band);

- Status after WRC-23 –
New study items for input for WRC-27:
 - 4400 to 4800 MHz (in EMEA and APAC)
 - 7125 to 8400 MHz (excluding 7250 to 7750 MHz in Europe due to use by NATO)
 - 14.8 to 15.35 GHz
- Notable regional activities
 - FCC studies 12.7 to 13.25 GHz,




Rohde & Schwarz



RESEARCH AREAS FROM A T&M PERSPECTIVE

THz communication,
and "FR3"



Integrated sensing
& communication



Artificial Intelligence
and Machine Learning



Reconfigurable
Intelligent Surfaces



Photonics, Visible
Light Communication



The Metaverse and
eXtended Reality (XR)



Multiple access,
new waveforms,
channel coding



Ultra-massive
MIMO



New network topologies,
distributed computing



Full-duplex
communication



Security &
Trustworthiness





Rohde & Schwarz

SUMMARY


- ▶ Deployment of 5G networks is in full swing, although it is still a long way to go to reach its full capabilities and deliver on its promises.
- ▶ Meanwhile, researchers in academia and industry are exploring new technology components to make 6G networks and devices **more efficient, intelligent, sustainable, and secure**
- ▶ These new, challenging technology components will enable the next step towards an **immersive, pervasive, digital experience** in a hyper-connected world



WHY SHOULD YOU BE INNOVATIVE?



HOW COULD YOU BE INNOVATIVE?



THE NEED AND THE PROCESS TO BE CURRENT IN TECHNOLOGY

Rapid technological advancements

Competitive edge

Career growth
(employers value engineers who are
proactive)

Problem solving skills



ACTIVE PARTICIPATION IN PROFESSIONAL SOCIETIES



Please read:

<https://builtin.com/hardware/moores-law>

Important references:

- IEEE microwave Magazine for the Microwave & Wireless Engineer Volume 25 - Number 10 October 2024 ISSN 1527-3342 features.
- Walker, J. Fundamentals of Physics, 8th ed., John Wiley and Sons, 2008, p. 891. ISBN 9780471758013 (Wien's displacement law).

ROHDE & SCHWARZ

Make ideas real

Thank you for your attention!

